SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA HCS 2024 and Canada Hazardous Products Act (HPA) and Hazardous Products Regulation (HPR), as amended

Issuing Date 10-Jun-2025 Revision date 10-Jun-2025 Revision Number 1

1. Identification

Product identifier

Product Name NATIONAL Automotive Gear Oils

Other means of identification SAE 80W-90, SAE 85W-140, GL-5

Product Code(s) 07-711495, 07-711501

Synonyms Gear oils

Recommended use of the chemical and restrictions on use

Recommended use Gear oil

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address Supplier Address

Pinnacle Oil Holdings, LLC. 8175-B Allison Ave. Pinnacle Oil Holdings, LLC.

Indianapolis, IN 46268 8175-B Allison Ave. 317-875-9465 Indianapolis, IN 46268 www.pinnoil.com

E-mail sds@pinnoil.com

Emergency telephone number

Emergency telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. Hazard(s) identification

Classification of the substance or mixture

This product is not considered hazardous by either the US OSHA Hazard Communication Standard 2024, or Canada Hazardous Products Act (HPA) and Hazardous Products Regulation (HPR), as amended.

Label elements

Hazard statements

Not classified.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other information

(M)SDS Number S170 Page 1 / 11

Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Synonyms Gear oils, Axle/ Differential lubricants, limited Slip

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Residual oils, petroleum, hydrotreated	64742-57-0	25 - 92	-	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	25 - 92	-	-
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	0.08 - 66.88	-	-
1-Propene, 2-methyl-, sulfurized	68511-50-2	2.25 - 3.75	-	-
Polymer	-	0.2 - 0.9	-	-
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	0.5 - 0.6	-	-
Phosphate ester	-	0.08-0.38	-	-
Amines, alkyl phosphates	-	0.08-0.38	-	-
Thiadiazole complex	-	0.01-0.08	-	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure None known.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

(M)SDS Number S170 Page 2 / 11

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the

chemical

None known based on information supplied.

Hazardous combustion products Carbon oxides.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid breathing vapors or mists. Use personal protective

equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Move containers from spill area.

Methods for cleaning up Wash spillages into an effluent treatment plant or proceed as follows: Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

Section 13).

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of

ignition.

General hygiene considerations Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or

clothing. Wash hands before eating, drinking or smoking.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in

original container. Keep in properly labeled containers. Keep container closed when not in use. Store in accordance with local regulations. Protect from direct sunlight. Store away from incompatible materials. Keep away from food, drink and animal feeding stuffs. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

(M)SDS Number S170 Page 3 / 11

Control Parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure

limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Biological occupational exposure limits

Appropriate engineering controls

Showers **Engineering controls**

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Wear suitable protective clothing. Skin and body protection

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Prevent entry into waterways, sewers, basements or confined areas.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear, bright liquid

Physical state Liquid

Color Dark yellow to light orange Mild Petroleum, Sulfur Odor (includes odor threshold)

Remarks • Method **Property** <u>Values</u> Melting point / freezing point No data available

Boiling point (or initial boiling point or No data available

boiling range)

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive limits No data available

Lower flammability or explosive limits No data available > 225 °C / 437.0 °F ASTM D92 Flash point

No data available **Autoignition temperature** No data available **Decomposition temperature** No data available SADT (°C) pН No data available pH (as aqueous solution) No data available

Kinematic viscosity > 120 cSt @ 40 °C; ASTM D445 No data available **Dynamic viscosity** Solubility No data available

Water solubility Insoluble

Partition coefficient n-octanol/water (log No data available

(M)SDS Number S170 Page 4 / 11

value)

Vapor pressure (includes evaporation rate)No data availableEvaporation rateNo data available

Density and/or relative density 0.87 - 0.89

Bulk density
Liquid Density
No data available
Relative vapor density
No data available

Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

Other information

Molecular weightNo information availableVOC contentNo information availableSoftening pointNo information available

Information with regard to physical hazard classes

Explosives

Explosive properties No information available Oxidizing properties No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Incompatible materials.

Incompatible materials Oxidizing materials.

Hazardous decomposition products Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Contact with eyes may cause

irritation.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Acute toxicity No information available.

Numerical measures of toxicity

(M)SDS Number S170 Page 5 / 11

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), solvent-dewaxed heavy paraffinic	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat)4 h
Distillates (petroleum), hydrotreated heavy paraffinic	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
1-Propene, 2-methyl-, sulfurized	= 5700 mg/kg (Rat)	-	> 0.39 mg/L (Rat)4 h
Distillates (petroleum), solvent-refined heavy paraffinic	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5530 mg/m³(Rat)4 h
Phosphate ester	> 2500 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Amines, alkyl phosphates	> 5000 mg/L (Rat)	> 2000 mg/kg (Rat)	-
Thiadiazole complex	-	> 2000 mg/kg (Rabbit)	> 0.62 mg/L(Rat)4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	A2 - Suspected human carcinogen	Group 1 - Carcinogenic to humans	Known human carcinogen	Present
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	A2 - Suspected human carcinogen	Group 1 - Carcinogenic to humans	Known human carcinogen	Present
Distillates (petroleum), solvent-refined heavy paraffinic 64741-88-4		Group 1 - Carcinogenic to humans	Known human carcinogen	Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)		EC50: >1000mg/L (48h, Daphnia magna)

(M)SDS Number S170 Page 6 / 11

		,		
64742-65-0				
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
1-Propene, 2-methyl-, sulfurized 68511-50-2	•	LC50: 250 - 500mg/L (96h, Pimephales promelas) LC50: <1000mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), solvent-refined heavy paraffinic 64741-88-4	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Phosphate ester	-	LC50: >100mg/L	-	EC50: >100mg/L
Amines, alkyl phosphates -	LC50: 0.58mg/L (96h, Desmodesmus subspicatus)	-	-	EC50: 0.315mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

(M)SDS Number S170 Page 7 / 11

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCI A

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Ethylbenzene - 100-41-4	Carcinogen
Toluene - 108-88-3	Developmental
Dibenzo(a,h)anthracene - 53-70-3	Carcinogen
Cumene - 98-82-8	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylbenzene	X	X	X
100-41-4			
1,3,5-Trimethylbenzene 108-67-8	-	X	-
Toluene 108-88-3	X	X	X
Xylene 1330-20-7	X	X	X
Dibenzo(a,h)anthracene 53-70-3	Х	X	Х
1,2,4 Trimethylbenzene 95-63-6	X	X	X

(M)SDS Number S170 Page 8 / 11

Cumene	X	X	X
98-82-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards0Flammability1Instability0Special hazards-HMISHealth hazards0Flammability1Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend ACGIH	American Conference of Concernmental Indicative III beginning
	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous
IBC	Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observed Adverse Effect Level No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	
	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits

(M)SDS Number S170 Page 9 / 11

OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

(M)SDS Number S170 Page 10 / 11

United Nations World Health Organization (WHO)

Issuing Date 10-Jun-2025

Revision date 10-Jun-2025

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

(M)SDS Number S170 Page 11 / 11